


DMC 150 SS



DREXEL METALS CORPORATION

## EAVE DETAIL



SUBJECT TO CHANGE WITHOUT NOTICE

EFFECTIVE DATE: 02/08/08

N.T.S.


Page 11

# DMC 150 SS



DREXEL METALS CORPORATION

## HIP / RIDGE DETAIL



**NOTE:**  
MIN. LAP ON ALL HIP AND RIDGE CAP IS 4". DREXEL METALS APPROVED SEALANT IN ALL LAPS OF HIP AND RIDGE CAP.

N.T.S.

SUBJECT TO CHANGE WITHOUT NOTICE

EFFECTIVE DATE: 02/06/08


Page 14

DMC 150 SS



DREXEL METALS CORPORATION

## VALLEY DETAIL



**NOTE:**

LAPS IN VALLEY ARE 12" MIN.  
DREXEL METALS APPROVED  
SEALANT IN ALL LAPS IN VALLEY.  
TWO ROWS OF SEALANT BETWEEN  
VALLEY LAPS, 4" UP FROM LAP.

SUBJECT TO CHANGE WITHOUT NOTICE

EFFECTIVE DATE: 02/06/08

N.T.S.


Page 16

DMC 150 SS



DREXEL METALS CORPORATION

## VENT PIPE FLASHING DETAIL



SUBJECT TO CHANGE WITHOUT NOTICE

EFFECTIVE DATE: 02/08/08

N.T.S.


Page 22

DMC 150 SS



DREXEL METALS CORPORATION


## GABLE DETAIL



### NOTE:

4" MIN. LAP ON ALL GABLE TRIM.  
DREXEL METALS APPROVED SEALANT  
IN ALL LAPS OF GABLE TRIM.

## ALT.



SUBJECT TO CHANGE WITHOUT NOTICE

EFFECTIVE DATE: 02/08/08


N.T.S.

Page 19



849 SW 69 AVE MIAMI FL 33144

## GOOSENECK





849 SW 69 Ave Miami Fl 33144

